Dear Right-of-Way (ROW) Permit Applicant, In order for us to efficiently issue to you a ROW Permit, please note the following:

On the application, every single line (1-9) must be filled out completely. This includes full names and addresses of both the contractors and property owners, and the exact areas to be worked in with accurate measurements. Measurements must be indicated in 'feet', not in inches, as indicated on the application.

As well as an address and phone number, you must provide us with either a fax number or an email address for us to contact you regarding any issues with this application.

You must provide **full details of all work** that is going to be done; a Right of Way Application Sketch is attached to the application to make this easier for you.

\*If any of the above are not followed, the application will be returned to you via fax or email (if you did not provide us with this, you will have to go back to City Hall in person to fill out the application properly). You must complete the missing information and return it to us via email (engineering@cityofrahway.com) or by fax (732-680-1375). We will then review it, and if all relevant information has been provided, we will approve the application and issue the permit.

D1 1 4	***	• ,	1 4	70	1 '	1 ,		C 11	•	4.
Please also note:	$\mathbf{w}$ e 1	eamre at	least	11	hiisiness	nonre	notice:	เกา ลแ	าทรา	nections.
i icase aiso note.	* * * * 1	equile at	reast	1 4	Casiness	nours	motice .	tor arr	11101	occuons.

D1 ' 1 1	1 1 1	1 441 4	1 4 1	1 4 4	1 4
Please sign be	low as an acknowle	agement that voi	u understand and	a agree to i	nese terms:
		J			

Applicant's Full Name	Date

City of Rahway

# CITY OF RAHWAY DEPARTMENT OF ENGINEERING

### ONE CITY HALL PLAZA RAHWAY, NEW JERSEY 07065

### RIGHT-OF-WAY CONSTRUCTION PERMIT APPLICATION

### PLEASE TYPE OR LEGIBLY PRINT AND COMPLETE $\underline{\textbf{ALL}}$ ITEMS 1 THROUGH 9

1)	DATE OF APPLICATION:				
2)	OWNER OF PROPERTY:				
	OWNER'S ADDRESS:				
	TELEPHONE NUMBER:				
3)	NAME OF CONTRACTOR:_				
	CONTRACTOR'S ADDRESS	:			
	TELEPHONE NUMBER:	FAX	X NUMBER/EMAIL AD	DDRESS:	
4)	PERSON IN CHARGE OF JO	B SITE:			
	TELEPHONE NUMBER:		EMAIL ADDRESS:_		
	EMERGENCY (24 HOUR) TE	ELEPHONE NUMB	ER:		
5)	STREET ADDRESS OF WOR	K LOCATION:			
	NEAREST CROSS STREET/I	NTERSECTION:			
6)	ESTIMATED DATE TO STA	RT CONSTRUCTIO	ON:		
7)	ESTIMATED DATE OF PRO	JECT COMPLETIO	N:		
8)	NATURE OF WORK (CHECI	X ALL THAT APPL	Y):		
	□ SIDEWALK –	LENGTH	FT.	/ WIDTH	FT.
	□ DRIVEWAY APRON –	LENGTH	FT.	/ WIDTH	<u>F</u> T.
	☐ CURB- (Bond Required)	LENGTH	FT.	/ WIDTH	FT.
	☐ ROADWAY OPENING FO	OR UTILITIES – (Be	ond Required)		
		LENGTH	FT. / WIDTH	FT. / DEPTH	FT.
	DESCRIPTION OF UTILI	TY WORK			
	☐ OTHER – PLEASE SPECI	FY			
9)	IS THIS WORK APPROVED	UNDER A PLANNI	ING OR ZONING BOA	RD APPLICATION?	
	IF SO, PLEASE LIST APPLIC	CATION NUMBER:	·		
		BELOW FOR OF	FICIAL USE ONLY		
PER	MIT NO.: D.	ATE ISSUED:	EXPIRA	TION DATE:	_
APP	LICATION/PERMIT FEE:		BOND:		
(NON	N – REFUNDABLE)			ED, TO BE HELD FOR ONE	_
				THE COMPLETION AND ON OF THE PROPOSED	
			WORK)	<u></u>	
PER	MISSION IS HEREBY GRANT	ED:	DENIED:		

## CITY OF RAHWAY DEPARTMENT OF ENGINEERING

#### **SPECIAL PERMIT CONDITIONS (IF ANY):**

#### **RIGHT-OF-WAY PERMIT CONDITIONS:**

- 1. ALL WORK ON COUNTY ROADS: THE CONTRACTOR MUST FIRST CONFIRM WHETHER OR NOT A PERMIT FROM THE COUNTY IS REQUIRED. IF REQUIRED, THE APPROVED PERMIT MUST BE SUBMITTED WITH THIS APPLICATION FOR THE CITY TO CONDUCT THEIR REVIEW. CONTACT UNION COUNTY BUREAU OF PERMITS AT 908-789-3658.
- 2. ALL WORK ON STATE ROADS: WORK MAY NOT PROCEED UNTIL THE CONTRACTOR HAS CONFIRMED WHETHER OR NOT A PERMIT IS REQUIRED BY THE NEW JERSEY DEPARTMENT OF TRANSPORTATION. CONTACT NJDOT NORTH REGION PERMITS DEPT. AT 973-601-6625.
- 3. SUEZ, THE CITY'S WATER SYSTEM OPERATOR, MUST BE CONTACTED AT 732-388-0086:
- TO SUBMIT AN APPLICATION FOR NEW WATER SERVICE LINES TO A PUBLIC WATER MAIN.
- 24 HOURS PRIOR TO WORKING ON OR REPLACING A WATER SERVICE LINE TO SCHEDULE INSPECTION OF THE OPERATIONAL CONDITION OF THE SERVICE VALVE AND SCHEDULE INSPECTION FOR DAY OF WORK TO SHUT OFF THE SERVICE VALVE.
- 4. FOLLOWING THE APPROVAL OF THE PERMIT APPLICATION, PERMISSION TO OPEN OR EXCAVATE IN A CITY RIGHT-OF-WAY IS CONTINGENT UPON NOTIFYING THE CITY DEPARTMENT OF PUBLIC WORKS (732-827-2060), CONTACTING A RAHWAY CITY CONSULTING ENGINEER, (PER CONDITION 5 BELOW) A MINIMUM OF 72 HOURS IN ADVANCE TO SCHEDULE THE WORK AND THE CONSTRUCTION OBSERVATION AND NOTIFYING THE UTILITY UNDERGROUND NOTIFICATION SYSTEM, 'NEW JERSEY ONE CALL' (800-272-1000). ALL WORK MUST BE PERFORMED IN ACCORDANCE WITH THE ATTACHED CONSTRUCTION DETAIL(S) AND/OR AS DIRECTED BY THE CITY ENGINEER OR HIS/HER DESIGNATED REPRESENTATIVE.
- 5. EVERY PERMIT REQUIRES INSPECTION. REQUESTS FOR INSPECTIONS SHALL BE MADE AT LEAST 72 HOURS PRIOR TO WORK BY CONTACTING T & M ASSOCIATES, CITY CONSULTING ENGINEER, AT PBONDAR@TANDMASSOCIATES.COM.
- 6. FOR CONCRETE WORK, PREPARED FORM WORK MUST BE INSPECTED BEFORE CONCRETE POUR(S).
  - CONCRETE DRIVEWAY APRON REQUIREMENTS (PER DETAIL): SIX (6) INCH THICK CONCRETE DRIVEWAY APRON WITH WELDED WIRE FABRIC AND SIX (6) INCH THICK THREE FORTH (34) INCH CLEAN CRUSHED STONE IS REQUIRED.
  - CONCRETE SIDEWALK REQUIREMENTS (PER DETAILS): FOUR (4) INCH THICK SIDEWALK WITH FOUR (4) INCH THICK THREE FORTH (34) INCH CLEAN CRUSHED STONE IS REQUIRED FOR PEDESTRIAN SIDEWALK, EXCEPT IN DOWNTOWN STREETSCAPE AREAS, WHERE SIX (6) INCH THICK SIDEWALK IS REQUIRED.
  - CONCRETE CURB REQUIREMENTS (PER DETAILS): CURB FORMS MUST BE TWENTY (20) INCHES DEEP. MONOLITHIC APRON AND CURBS WILL NOT BE PERMITTED.

- GENERAL CONCRETE WORK REQUIREMENTS: FOLLOWING INSPECTION AND APPROVAL OF THE FORMWORK, THE APPLICANT MAY THEN POUR THE CONCRETE. AFTER POURING THE CONCRETE, THE CONCRETE DELIVERY TICKET INDICATING THAT 4500 PSI CONCRETE WAS USED MUST THEN BE FAXED TO INSPECTING CONSULTING ENGINEER. THE PERMIT CANNOT BE CLOSED OUT WITHOUT THE SUBMITTAL OF THE CONCRETE TICKET.
- 7. ROADWAY OR LANE CLOSURES WILL NOT BE PERMITTED WITHOUT THE PERMISSION OF THE TRAFFIC DIVISION OF THE RAHWAY POLICE DEPARTMENT (RPD). IF RPD DEEMS THAT A POLICE TRAFFIC DIRECTOR IS NECESSARY, THE CONTRACTOR MUST CONTACT, CONTRACT WITH AND PAY THE RPD DIRECTLY.
- 8. IN THE EVENT OF A STREET OPENING THAT IS UNDER A '5-YEAR RE-OPENING MORATORIUM', APPROVAL TO DO SO MUST FIRST BE OBTAINED FROM THE CITY ENGINEER AND THEN, IF APPROVED, THE ROADWAY PAVEMENT MUST BE RESTORED VIA INFRARED REPAIR TECHNOLOGY. THE APPLICANT WILL BE PROVIDED WITH A SEPARATE ACKNOWLEDGEMENT LETTER WHICH MUST BE SIGNED AND RETURNED TO THE ENGINEER'S OFFICE PRIOR TO ISSUANCE OF SAID PERMIT.
- 9. IF THIS PERMIT IS ISSUED FOR BUILDING OR SITE DEMOLITION, ALL TERMINATION POINTS OF UNDERGROUND UTILITIES MUST BE MARKED IN THE FIELD AND MAPPED ON AN AS-BUILT PLAN AS FOLLOWS: 1. THE ALIGNMENT OF EACH UNDERGROUND UTILITY MUST BE MARKED ON THE TOP OF THE CURB OR EDGE OF THE PAVEMENT WITH PAINT UTILIZING THE UNIVERSAL COLORS (WATER = BLUE, SEWER = GREEN, GAS = YELLOW, ELECTRIC = RED, COMMUNICATION = ORANGE). 2. A MAP/SKETCH MUST BE PROVIDED IMMEDIATELY AFTER DEMOLITION SHOWING THE LOCATION OF THE UTILITY TERMINATION POINTS, WITH DIMENSIONS BACK FROM THE FACE OF THE CURB OR EDGE OF PAVEMENT, IN LINE WITH THE ABOVE REFERENCED PAINT MARKS. 3. THE MARKINGS AND MAPPING MUST BE SUBMITTED TO THIS OFFICE PRIOR TO ISSUANCE OF ANY BUILDING PERMIT RELATIVE TO THE REFERENCED DEMOLITION.
- 10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL SITE SAFETY.

**NOTES:** 

THIS PERMIT IS SUBJECT TO REVOCATION AT	ANY TIME BY THE UNDERSIGNED IN THE EVENT OF						
E FAILURE OF THE PERMITEE TO COMPLY WITH THE TERMS AND CONDITIONS OF THE							
APPLICATION, PERMIT AND/OR PROPER CONSTRUCTION METHODS							
	HERERY ACKNOWLEDGES						
(NAME OF CONTRACTOR'S PERSON IN CHARGE OF I	HEREBY ACKNOWLEDGES, OBSITE - PRINT)						
INDEPETANDS & ACCEPTS THE DESPONSIBILITY	TY OF ALL TERMS AND CONDITIONS, INCLUDING						
ANY CONSTRUCTION DETAILS ATTACHED WIT	H THIS PERMIT.						
SIGNATURE	DATE						
SIGNATURE	DAIL						
BELOW FOR O	FFICIAL USE ONLY						
BEBOW TOR O							
RECEIVED AND REVIEWED BY:	DATE:						
City of Rahway Consulti	ng Engineers – T&M Associates DATE:						
·							
INSPECTED FOR INITIAL CONSTRUCTION BY:	DATE:						
INSPECTED FOR BOND RELEASE BY:	DATE:						
· · · · · · · · · · · · · · · · · · ·							
CALLED FOR REPAIR (IF NECESSARY):	DATE:						

# CITY OF RAHWAY RIGHT OF WAY APPLICATION SKETCH

PLEASE INDICATE THE DIMENSIONS (LENGTH, WIDTH AND DEPTH) OF ANY AND ALL WORK WITHIN THE RIGHT OF WAY						
(FOR EXAMPLE, DEPRESSED CURB, CURB, DRIVEWAY APRON, SIDEWALK WITHIN THE DRIVEWAY, AND STANDARD SIDEWALK).						
ALSO, ALL UNDERGR	OUND UTILITIES MUS	ST BE SHOWN AND LOCATED ON SITE PRIOR TO ANY EXCAV	/ATION.			
			SIDEWALK			
EXPLANATION OR NOTES			LENGTHFT			
			WIDTH FT			
			DRIVEWAY APRON			
			LENGTH FT			
		BUILDING NUMBER	WIDTHFT			
			CURB (FOR STANDARD			
			AND/OR DEPRESSED)			
			LENGTHFT			
	DRIVEWAY		WIDTHFT			
			ROAD OPENING			
		OTDET BIOUT OF WAY	LENGTHFT			
		STREET RIGHT OF WAY	WIDTHFT			
		& PROPERTY LINE	DEPTH FT			
	SIDEWALK		<del></del>			
SIDEWALK		SIDEWALK				
	WITHIN DRIVEWAY					
	DRIVEWAY APRON	LANDSCAPE	ያ መጀመር ው ተናያቸው ነው ያለቸው ነው ነው ነው ነገር ነው ነገር ነው። የመጀመር ያለመው ነገር ነው ነው ነገር ነ የምንያ የሚያርሻ ነው ነገር ነው			
LANDSCAPE	DRIVEWATALKON	The control of the co				
CURB	DEPRESSED CURB	CURB				
ROAD OPENING	STREET NAME					